



Introducing PALSONIFY peers

Real stories. Real courage. Real possibilities.

Thinking of changing medications or starting a new treatment for acromegaly? Find out what life is like for real people taking PALSONIFY.

PALSONIFY is a once-daily oral medication for acromegaly that helps control symptoms and IGF-1 levels.

Individual results may vary.

IGF-1=insulin-like growth factor 1.

Once-Daily Oral
Palsonify[™]
(paltusotine) tablets

What is PALSONIFY?

- PALSONIFY is a prescription medicine used to treat adults with acromegaly for whom surgery was not effective or surgery is not an option
- It is not known if PALSONIFY is safe and effective in children

IMPORTANT SAFETY INFORMATION

The most common side effects of PALSONIFY include diarrhea, pain in your stomach (abdominal) area, nausea and vomiting, decreased appetite, slow heart rate (bradycardia), high blood sugar levels (hyperglycemia), and irregular heartbeat (palpitations).

Please see Important Safety Information throughout and Full Prescribing Information, including Patient Information.

Getting diagnosed can take years. Finding the right treatment can take even longer

David, Ashleigh, and Megan have lived with the uncertainty of their disease and finding a medication that works for them. They know firsthand how changing or starting acromegaly treatment can be a challenge.

Check out their stories and why they decided to try PALSONIFY.



IMPORTANT SAFETY INFORMATION (cont'd)

What should I tell my healthcare provider before taking PALSONIFY?

Before taking PALSONIFY, tell your healthcare provider about all your medical conditions, including if you:

- have gallbladder problems
- have blood sugar control problems (low blood sugar or high blood sugar)
- have problems with low heart rate
- are pregnant or plan to become pregnant. It is not known if PALSONIFY will harm your unborn baby.



“Living with acromegaly can feel lonely. If I can reach one person who has the same uncertainty I had about switching treatment, it will all be worth it.”

—Ashleigh, PALSONIFY peer

From uncertainty to confidence

Ashleigh started searching for answers to her symptoms as a young adult. Years of feeling dismissed by doctors ended with her getting an IGF-1 test. And finally, an acromegaly diagnosis.

Stable numbers. Fluctuating symptoms

Monthly injections helped stabilize her IGF-1. But some symptoms returned toward the end of the injection cycle, and side effects from the injections were debilitating for Ashleigh.

Taking a leap

Switching treatments felt scary. But since starting PALSONIFY, Ashleigh's symptoms have improved, her side effects were mild and manageable, and her IGF-1 is in her normal range.

Watch Ashleigh's story
on sqr.co/sox2



Talk to Ashleigh directly about her
experience at sqr.co/hrxl

IMPORTANT SAFETY INFORMATION (cont'd)

What should I tell my healthcare provider before taking PALSONIFY? (cont'd)

- are breastfeeding or plan to breastfeed. It is not known if PALSONIFY passes into your breast milk. Talk to your healthcare provider about the best way to feed your baby if you take PALSONIFY.

Please see Important Safety Information throughout and [Full Prescribing Information](#), including [Patient Information](#).



“With PALSONIFY, I don’t have to plan out every minute of every day. I just take my 2 pills in the morning and get rolling.”

—Megan, PALSONIFY peer



“I can feel a difference with my symptoms since starting PALSONIFY. For years, I would come home from work and need a nap immediately. Now I have less fatigue and only nap on Sundays.”

—David, PALSONIFY peer

From false starts to finding what works

A lifelong athlete, Megan was forced to give up volleyball and running when acromegaly symptoms such as swelling, joint pain, exhaustion, and headaches took over.

Treatment that never felt like enough

After surgery, she tried monthly injections, weekly injections, and even a combination of both. But the injection schedule made travel and everyday plans harder than they should have been.

A new daily routine

Now Megan takes 2 pills each morning and gets on with her day. Her symptoms have stabilized.

Watch Megan’s story on sqr.co/jbdm



Talk to Megan directly about her experience at sqr.co/hrxl

IMPORTANT SAFETY INFORMATION (cont’d)

What are the possible side effects of PALSONIFY?

PALSONIFY may cause serious side effects including:

- **Gallbladder problems:** PALSONIFY may cause problems with the gallbladder. Tell your healthcare provider if you have sudden pain in the upper right area of your stomach (abdomen), sudden pain in your right shoulder or between your shoulder blades, yellowing of your skin or the whites of your eyes, or pale stools.

From daily pain to playing guitar again

David dealt with daily acromegaly symptoms like joint pain, stiffness in his hands, excessive sweating, and constant fatigue. He stopped playing guitar because it hurt too much.

Not quite controlled

Surgery helped at first. Then it was injections, but they were painful. He tried a twice-daily oral, but it didn’t fully control his symptoms. His IGF-1 never dropped to his target level.

Back in tune

Since starting PALSONIFY, his joint pain has lessened. His IGF-1 is in his normal range for the first time. And he’s back to playing the guitar.

Watch David’s story on sqr.co/elzm



Talk to David directly about his experience at sqr.co/hrxl

IMPORTANT SAFETY INFORMATION (cont’d)

- **Blood sugar problems:** PALSONIFY may change hormone levels, potentially causing either high blood sugar (hyperglycemia), including diabetes, or low blood sugar (hypoglycemia). Tell your healthcare provider if you have problems with high or low blood sugar. Your healthcare provider will check your blood sugar when you start taking PALSONIFY or when your dose is changed.

Please see Important Safety Information throughout and [Full Prescribing Information](#), including [Patient Information](#).

Indication and Important Safety Information

What is PALSONIFY?

- PALSONIFY is a prescription medicine used to treat adults with acromegaly for whom surgery was not effective or surgery is not an option
- It is not known if PALSONIFY is safe and effective in children

IMPORTANT SAFETY INFORMATION

What should I tell my healthcare provider before taking PALSONIFY?

Before taking PALSONIFY, tell your healthcare provider about all your medical conditions, including if you:

- have gallbladder problems
- have blood sugar control problems (low blood sugar or high blood sugar)
- have problems with low heart rate
- are pregnant or plan to become pregnant. It is not known if PALSONIFY will harm your unborn baby.
- are breastfeeding or plan to breastfeed. It is not known if PALSONIFY passes into your breast milk. Talk to your healthcare provider about the best way to feed your baby if you take PALSONIFY.

Tell your healthcare provider about all the medicines you take, including prescription and over-the-counter medicines, vitamins, and herbal supplements. PALSONIFY may affect the way other medicines work, and other medicines may affect how PALSONIFY works.

Especially tell your healthcare provider if you take any medicines that can slow the heart rate.

Know the medicines you take. Keep a list of them to show your healthcare provider and pharmacist when you get a new medicine.

What are the possible side effects of PALSONIFY?

PALSONIFY may cause serious side effects including:

- **Gallbladder problems:** PALSONIFY may cause problems with the gallbladder. Tell your healthcare provider if you have sudden pain in the upper right area of your stomach (abdomen), sudden pain in your right shoulder or between your shoulder blades, yellowing of your skin or the whites of your eyes, or pale stools.
- **Blood sugar problems:** PALSONIFY may change hormone levels, potentially causing either high blood sugar (hyperglycemia), including diabetes, or low blood sugar (hypoglycemia). Tell your healthcare provider if you have problems with high or low blood sugar. Your healthcare provider will check your blood sugar when you start taking PALSONIFY or when your dose is changed.
- **Heart rate problems:** Tell your healthcare provider if your heart is not beating normally.
- **Thyroid problems:** PALSONIFY may keep your thyroid from releasing thyroid hormones, leading to hypothyroidism. Your thyroid function may be checked periodically during your treatment with PALSONIFY.
- **Fatty stools:** PALSONIFY may cause your body to have problems with absorbing dietary fats. Tell your healthcare provider if you have any new or worsening symptoms, including fatty stools, changes in the color of your stools, loose stools, stomach (abdominal) bloating, or weight loss.
- **Low vitamin B₁₂ levels in your blood:** Your healthcare provider may check your vitamin B₁₂ levels during treatment with PALSONIFY.

The most common side effects of PALSONIFY include diarrhea, pain in your stomach (abdominal) area, nausea and vomiting, decreased appetite, slow heart rate (bradycardia), high blood sugar levels (hyperglycemia), and irregular heartbeat (palpitations).

These are not all the possible side effects of PALSONIFY. For more information, ask your healthcare provider or pharmacist.

You are encouraged to report negative side effects to Crinetics Pharmaceuticals at 1-833-CRN-INFO (1-833-276-4636) or FDA at 1-800-FDA-1088 or www.fda.gov/medwatch.

Please see Full Prescribing Information, including Patient Information, and talk to your doctor.

Talk to someone who's been there

Once-Daily Oral
Palsonify[™]
(paltusotine) tablets

Reach out to a PALSONIFY peer today!



Curious to hear what life on PALSONIFY is like from someone really living it? PALSONIFY peers are here for you.



CALL

888-717-0552

Available Monday to
Friday, 9 AM to 5 PM CT



EMAIL

**palsonifypeerconnect@
crinetics.com**



OR VISIT

sqr.co/hrxl

IMPORTANT SAFETY INFORMATION (cont'd)

Tell your healthcare provider about all the medicines you take, including prescription and over-the-counter medicines, vitamins, and herbal supplements. PALSONIFY may affect the way other medicines work, and other medicines may affect how PALSONIFY works.

Especially tell your healthcare provider if you take any medicines that can slow the heart rate.

Know the medicines you take. Keep a list of them to show your healthcare provider and pharmacist when you get a new medicine.

Please see Important Safety Information throughout and Full Prescribing Information, including Patient Information.



©2026 Crinetics Pharmaceuticals, Inc. PALSONIFY is a trademark of Crinetics Pharmaceuticals, Inc. All rights reserved.
US-PAL-26-0101-1 05/2026